

ATEX CERTIFIED FOR ZONE 2 (Gas) & 22 (Dust)
ELECTRICAL MOTOR-DRIVEN VACUUM SYSTEM

→ EXPLOSION PROTECTION EX - IIG/D - T135°C/Eexd - IP65 - IIB T4



Capacity :

Motor Power : 60HP

Vacuum Pressure : 14" Hg

Airflow : 900 CFM

Application : Catalyst Change-Out



Capacity :

- ⇒ **Motor Power : 125HP**
- ⇒ **Vacuum Pressure : 15"**
- ⇒ **Airflow : 1,500 CFM**
- ⇒ **Application : Sand-blasting grits recovery**

Mobile Vacuum System c/w Auto Jet-Pulse Dust Collector



Capacity :

- ⇒ **Motor Power : 75HP**
- ⇒ **Vacuum Pressure : 15"**
- ⇒ **Airflow : 1,100 CFM**
- ⇒ **Application : Catalyst Change-out**

**Self-Contained Vacuum System c/w Auto Jet-Pulse Dust Collector And
1.5m³ Overturnable Material Collection Container**



ATEX Electrical Control Panel



**Over-turnable
Material
Collection Drum**



**Over-turnable
Drum**





Capacity :

- ⇒ **Motor Power : 125HP**
- ⇒ **Vacuum Pressure : 15"**
- ⇒ **Airflow : 1,500 CFM**
- ⇒ **Application : Metal Dust Removal in Steel Mill**

ATEX CERTIFIED FOR ZONE 2 (Gas) & 22 (Dust)
DIESEL ENGINE-DRIVEN VACUUM SYSTEM



Capacity :

- ⇒ **Engine Power : 175HP**
- ⇒ **Vacuum Pressure : 15"**
- ⇒ **Airflow : 2,300 CFM**
- ⇒ **Application : Oil Sludge Removal from Tanker**